

University of Dundee

Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution

T2D-Genes Consortium; The MAGIC Investigators; CHD Exome+ Consortium; EPIC-CVD Consortium; ExomeBP Consortium

Published in:
Nature Genetics

DOI:
[10.1038/s41588-018-0334-2](https://doi.org/10.1038/s41588-018-0334-2)

Publication date:
2019

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):

T2D-Genes Consortium, The MAGIC Investigators, CHD Exome+ Consortium, EPIC-CVD Consortium, ExomeBP Consortium, Global Lipids Genetic Consortium, GoT2D Genes Consortium, ReproGen Consortium, Justice, A. E., Karaderi, T., Highland, H. M., Young, K. L., Graff, M., Lu, Y., Turcot, V., Auer, P. L., Fine, R. S., ... Lindgren, C. M. (2019). Protein-coding variants implicate novel genes related to lipid homeostasis contributing to body-fat distribution. *Nature Genetics*, 51(3), 452-469. <https://doi.org/10.1038/s41588-018-0334-2>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Relationship Between MAF and β

